AUG 2 0 2004

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Frederick E. MOOTZ et al

Serial No.:

09/626,066

Group Art Unit: 1743

Filing Date:

July 26, 2000

Examiner: Dwayne K. Handy

Title:

CUP HANDLING SUBSYSTEM FOR AN AUTOMATED CLINICAL CHEMISTRY

ANALYZER SYSTEM

Entity Status:

Large Entity

Our Docket:

MST 1997.1 (BYR-77)

CERTIFICATE UNDER 37 CFR 1.8(a)

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to:

Mail Stop Petition
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on August 18, 2004

Attorney for Applicants

Mail Stop Petition Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT

Sir:

This is in response to the Office Action of December 8, 2003

which had an absolute deadline of June 8, 2004 for Response.

Since no Response was filed before the absolute deadline of June

8, 2004, the application became abandoned.

The abandonment of this application was unintentional and a

Petition to Revive the application accompanies this Amendment, along with a

Terminal Disclaimer.

Also enclosed is a Credit Card Payment form for \$1,440 (petition fee of \$1,330 and terminal disclaimer fee of \$110). Please charge any additional fees in connection with this Amendment, Petition to Revive and Terminal Disclaimer to our Deposit Account No. 18-1743.

Please enter the following amendments: